

Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SHERACAST 2000

· Article number: 202010, 202011

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: Investment for dental casting
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espohlstraße 53 D-49448 Lemförde GERMANY

sdb@shera.de

+ 49 (0) 54 43 - 99 33 - 0

- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

Giftinformationszentrum-Nord +49 (0) 551-19240

(Information in german or english)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms:



· Signal word: Danger

· Hazard-determining components of labelling:

Quartz (SiO2)

Hazard statements:

H372 Causes damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements:

P260 Do not breathe dust.

P270 Do not eat, drink or smoke when using this product.

P285 In case of inadequate ventilation wear respiratory protection.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

 $\cdot \ \, \text{Information concerning particular hazards for human and environment:} \\$

Contains quartz. Do not breathe dust. May cause lung injury (silicosis / lung cancer). Wear protection mask.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

GE



Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) STOT RE 1, H372	50-90%
CAS: 14464-46-1 EINECS: 238-455-4	cristobalite STOT RE 2, H373	1-30%
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	1-20%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out into the fresh air.

Position and transport stably in side position.

In case of troubles or persistent symptoms, consult an medical.

· After inhalation:

Take affected persons into fresh air and keep quiet.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Call a doctor immediately.

- · After skin contact: Wash with water and soap.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

In case of troubles, consult an medical.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media The product itself does not burn.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Wear respiratory protection.

- · 6.2 Environmental precautions Do not allow to penetrate the ground / soil.
- 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

(Contd. on page 3)



(Contd. of page 2)

Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

Avoid generation of dust.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation / exhaustion at the workplace.

Prevent formation of dust.

Do not breathe dust.

Keep receptacles tightly sealed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke at the workplace.

Take off immediately all contaminated clothing.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Keep container in a well-ventilated, cool and dry place.

Protect from moisture.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with lim	nit values that require monitoring at the workplace:
14808-60-7 Quartz (SiO2)
MAK (Germany)	alveolengängige Fraktion
BOELV (EU)	Long-term value: 0.1* mg/m³ *respirable fraction
14464-46-1 cristoba	lite
MAK (Germany)	Alveolar fraction
1309-48-4 magnesiu	um oxide
	Long-term value: 10* 4** mg/m³ (as Mg) *inhalable dust **fume and respirable dust
	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolar**'espirable ; AGS, DFG

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

(Contd. of page 3)

Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Dust protection goggles.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: White
Odour: Odourless
Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not determined.

· Flash point: Not applicable.

Auto-ignition temperature:
 Decomposition temperature:
 pH
 Product is not selfigniting.
 Not determined.
 Not applicable.

· pH · Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

·Solubility

· water: Insoluble.

· Density and/or relative density

Density: Not determined.

· 9.2 Other information

· Appearance:

· Form: Powder

Important information on protection of health and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· Solids content: 100.0 %

· Information with regard to physical hazard classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure
Flammable liquids
Void.
Void.

(Contd. on page 5)



Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

		(Contd. of page 4)
· Flammable solids	Void.	
Self-reactive substances and mixtures	Void.	
· Pyrophoric liquids	Void.	
Pyrophoric solids	Void.	
Self-heating substances and mixtures	Void.	
· Substances and mixtures, which emit flammabl	e	
gases in contact with water	Void.	
· Oxidising liquids	Void.	
Oxidising solids	Void.	
· Organic peroxides	Void.	
Corrosive to metals	Void.	
· Desensitised explosives	Void.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No data available.
- 10.2 Chemical stability No data available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No data available.
- 10.4 Conditions to avoid Moisture.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

While warming up the set investments in a preheating furnace fumes occur: ammonia.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: No data available.
- · Skin corrosion/irritation No data available.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation No data available.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- Contains quartz. Do not breathe dust. May cause lung injury (silicosis / lung cancer). Wear protection mask.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

(Contd. of page 5)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

The product may not be released into the environment without control.

Generally not hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Waste disposal according to official state regulations.
- · Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- · Recommendation: Dispose unclean packages in compliance with the local, official regulations.

· 14.1 UN number or ID number		
· ADR, IMDG, IATA	Void.	
· ADN	Void.	
· 14.2 UN proper shipping name		
ADR, IMDG, IATA	Void.	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	Void.	
· ADN/R Class:	Void.	
14.4 Packing group		
· ADR, IMDG, IATA	Void.	
· 14.5 Environmental hazards:		
· Marine pollutant:	No.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	y to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 7)



Printing date 19.05.2021 Version number 3 Revision: 19.05.2021

Trade name: SHERACAST 2000

(Contd. of page 6)

· National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

· Relevant phrases

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Department of product security.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 \cdot * Data compared to the previous version altered.

GR