

Safety data sheet according to UK REACH



Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SHERADUETT
- **Article number:**
301010
301015
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Application of the substance / the mixture:** Two-component addition cure silicone putty
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SHERA Werkstoff-Technologie GmbH
Espohlstraße 53
D-49448 Lemförde
GERMANY
sdb@shera.de
+ 49 (0) 54 43 - 9933 - 0
- **Further information obtainable from:** Department of product security.
- **1.4 Emergency telephone number:**
+49 5443 9933-0 This number is serviced during office hours.
Opening times: Monday to Thursday from 8 am - 5 pm, Friday from 8 am - 3 pm.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008:** Void.
- **Hazard pictograms:** Void.
- **Signal word:** Void.
- **Hazard statements:** Void.
- **Precautionary statements:** Void.
- **Additional information:**
Quartz / cristobalite: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions. Even though the product is graded in accordance with EU criteria, labelling is not required according to Article 23 and Annex 1 (section 1.3.4.1) of Directive n°1272/2008.
- **2.3 Other hazards** Component B (coloured): Chemical bonds that contain silicon-hydrogen bonds (Si-H).
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Polyorganosiloxane mixture, fillers, additive.
Component A, white: Catalyst Component B, coloured: Base, contains polymethyl hydrogen siloxane

· **Dangerous components:**

CAS: 14464-46-1 EINECS: 238-455-4	cristobalite STOT RE 1, H372	10 - ≤20%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil, petroleum Asp. Tox. 1, H304	1 - ≤ 10%

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 1)

CAS: 556-67-2

EINECS: 209-136-7

Index number: 014-018-00-1

Reg.nr.: 01-2119529238-36

octamethylcyclotetrasiloxane

Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10)

PBT; vPvB

≥0.01 - ≤0.079%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:** The product can't be breathed in under normal circumstances.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Remove dirty clothing and wash before using again.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:**

Alkaline powder extinguishing agent.

Water.

· 5.2 Special hazards arising from the substance or mixture

Combustible.

Component B: This product can produce hydrogen. Vapours can form mixtures with air which pose a risk of explosion.

· **5.3 Advice for firefighters** In case of fire, cool endangered receptacles with water spray.

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

High slip hazard because of spilled product.

Keep away from ignition sources.

· **6.2 Environmental precautions** Do not allow to enter sewers / surface or ground water.

· 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Component B: Do not use a basic product.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH



Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
The usual precautionary measures are to be adhered to when handling chemicals.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Keep container in a well-ventilated, cool and dry place.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** No information available.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

14464-46-1 cristobalite

MAK (Germany) Alveolar fraction

8042-47-5 White mineral oil, petroleum

AGW (Germany) Long-term value: 5 mg/m³
Alveolar part

· Additional information:

Quartz: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions.
The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**
The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- **Material of gloves:**
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Not required.
- **Body protection:** Protective work clothing.

GB

(Contd. on page 4)

Safety data sheet according to UK REACH



Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Solid
· Colour:	Various colours
· Odour:	Odourless
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>200 °C (ASTM D56)
· Auto-ignition temperature:	>400 °C
· Decomposition temperature:	> 200 °C
· pH	Mixture is non-soluble (in water).
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	<0.1 hPa
· Density and/or relative density	
· Density at 20 °C:	1.9 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.

· 9.2 Other information

Solubility: Diethyl ether: Miscible in any proportion.
 Chlorinated solvents: Miscible in any proportion.
 Aromatic hydrocarbons: Miscible in any proportion.
 Aliphatic hydrocarbons: Miscible in any proportion.
 Acetone: Barely soluble.
 Ethanol: Barely soluble.

· Appearance:

· Form: Solid

· Important information on protection of health and environment, and on safety.

· Ignition temperature:	No data available.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC):	0.00 %
· Change in condition:	
· Evaporation rate	Not applicable.

· Information with regard to physical hazard classes

· Explosives	Void.
· Flammable gases	Void.
· Aerosols	Void.
· Oxidising gases	Void.
· Gases under pressure	Void.
· Flammable liquids	Void.
· Flammable solids	Void.
· Self-reactive substances and mixtures	Void.
· Pyrophoric liquids	Void.

(Contd. on page 5)

Safety data sheet according to UK REACH



Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 4)

· Pyrophoric solids	Void.
· Self-heating substances and mixtures	Void.
· Substances and mixtures, which emit flammable gases in contact with water	Void.
· Oxidising liquids	Void.
· Oxidising solids	Void.
· Organic peroxides	Void.
· Corrosive to metals	Void.
· Desensitised explosives	Void.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available.
- **10.2 Chemical stability** No decomposition if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Component A: Unknown.
Component B: The product can produce hydrogen.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials**
Oxidizing agents, strong.
Alkalis (alkalis).
Metal salts and metal complexes.
- **10.6 Hazardous decomposition products**
Component B: Reaction with alkalis, amines, strong acids, metal salts. The reaction occurs with formation of hydrogen. Explosion hazard.
Can be released in case of fire:
Carbon monoxide (CO).
Carbon dioxide (CO₂).
Hydrogen (H).
Poisonous gases / vapours.
Amorphous silica.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Causes damage to organs through prolonged or repeated exposure.
Quartz / cristobalite: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions. Even though the product is graded in accordance with EU criteria, labelling is not required according to Article 23 and Annex 1 (section 1.3.4.1) of Directive n°1272/2008.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
None of the ingredients is listed.

GB

(Contd. on page 6)

Safety data sheet according to UK REACH



Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

LL50 (96h) >100 mg/l (Fish) (OECD 203)

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation: Waste disposal according to official state regulations.

· Waste disposal key:

The waste disposal code as prescribed in the European Waste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void.

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void.

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void.

· 14.4 Packing group

· ADR, IMDG, IATA Void.

· 14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 26.06.2025

Version number 3 (replaces version 2)

Revision: 26.06.2025

Trade name: SHERADUETT

(Contd. of page 6)

· **UN "Model Regulation":**

Void.

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**
 Employment restrictions concerning juveniles must be observed.
 Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

- **Relevant phrases**
 H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.
 H361f Suspected of damaging fertility.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.
- **Department issuing SDS:** Department of product security.
- **Abbreviations and acronyms:**
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 3: Flammable liquids – Category 3
 Repr. 2: Reproductive toxicity – Category 2
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
 Asp. Tox. 1: Aspiration hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- *** Data compared to the previous version altered.**

GB