

Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SHERAEXACT 65

· Article number: 302016

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: Condensation cure silicone putty for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de

+ 49 (0) 54 43 - 99 33 - 0

- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:
- +49 5443 9933-0 This number is serviced during office hours.

Opening times: Monday to Thursday from 8 am - 5 pm, Friday from 8 am - 3 pm.

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008: Void.
- · Hazard pictograms: Void.
- · Signal word: Void.
- Hazard statements: Void.
- · Precautionary statements: Void.
- · Additional information:

Quartz / cristobalite: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions. Even though the product is graded in accordance with EU criteria, labelling is not required according to Article 23 and Annex 1 (section 1.3.4.1) of Directive n°1272/2008.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Polydimethylsiloxanes with inorganic filler material.

· Dangerous components:		
CAS: 14464-46-1 EINECS: 238-455-4	cristobalite STOT RE 1, H372	25-<100%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil, petroleum Asp. Tox. 1, H304	1-10%
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1 Reg.nr.: 01-2119529238-36	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.0025-<0.025%

(Contd. on page 2)



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: The product can't be breathed in under normal circumstances.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals. Keep receptacles tightly sealed.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

C D



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

(Contd. of page 2)

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

14464-46-1 cristobalite

MAK (Germany) Alveolar fraction

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye/face protection Not required.
- · Body protection: Protective work clothing.

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odourless
Melting point/freezing point:
Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling

range Undetermined.
Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not determined.
Decomposition temperature: Not determined.
pH Not applicable.

Viscosity:

· Kinematic viscosity
· Kinematic viscosity

Not applicable.

• **Dynamic:** Not applicable.

Solubility

· water: Insoluble.

(Contd. on page 4)



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

(Contd. of page 3)

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not applicable.

· Vapour pressure:

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not applicable.

· 9.2 Other information

· Appearance:

· Form: Pasty

 $\cdot$  Important information on protection of health and

environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition:

• Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Void. Flammable gases Void. · Aerosols Void. · Oxidising gases Void. · Gases under pressure Void. Flammable liquids Void. · Flammable solids Void. · Self-reactive substances and mixtures Void. · Pyrophoric liquids Void. · Pyrophoric solids Void. · Self-heating substances and mixtures Void.

Substances and mixtures, which emit flammable gases in contact with water

gases in contact with water Void.
Oxidising liquids Void.
Oxidising solids Void.
Organic peroxides Void.
Corrosive to metals Void.
Desensitised explosives Void.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No data available.
- 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No further relevant information available.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products No further relevant information available.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 5)



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

(Contd. of page 4)

· LD/LC50 values relevant for classification:

#### 556-67-2 octamethylcyclotetrasiloxane

Oral NOAEL 960 mg/kg (Rabbit) (OECD 411) Inhalative NOAEL 1.82 mg/l (Rat) (OECD 453)

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 8042-47-5 White mineral oil, petroleum

LL50 (96h) >100 mg/l (Fish) (OECD 203)

#### 556-67-2 octamethylcyclotetrasiloxane

EC50/48 h >0.0029 mg/l (Daphnia (Daphnia magna)) (OECD 202)

LC50/96 h |>0.016 mg/l (Fish) (OECD 204)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation: Waste disposal according to official state regulations.
- · Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- $\cdot$  Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void.
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void.

(Contd. on page 6)



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

		(Contd. of page
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void.	
· 14.4 Packing group		
ADR, IMDG, IATA	Void.	
14.5 Environmental hazards:		
· Marine pollutant:	No.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	j to IMO	
instruments	Not applicable.	
UN "Model Regulation":	Void.	

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

# · Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Department of product security.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

(Contd. on page 7)

Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31



Printing date 27.04.2023 Version number 3 Revision: 27.04.2023

**Trade name: SHERAEXACT 65** 

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  $\cdot$  \* Data compared to the previous version altered.

(Contd. of page 6)