

Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SHERAPOLAN 2:1 (Component A) · Article number: 516010, 516011, 516017 · 1.2 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. · Application of the substance / the mixture: Component A (polyol) for the production of model resin based on polyurethane · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SHERA Werkstoff-Technologie GmbH Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de + 49 (0) 54 43 - 9933 - 0 · Further information obtainable from: Department of product security. · 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49 (0) 551-19240 (Information in german or english) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Eye Irrit. 2 H319 Causes serious eye irritation. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the GB CLP regulation. Hazard pictograms: GHS07 GHS09 · Signal word: Warning · Hazard statements: H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P280 Wear protective gloves / eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. · 2.3 Other hazards · Results of PBT and vPvB assessment: · PBT: Not applicable. · vPvB: Not applicable.

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

SECTION 3: Composition/information on ingredients

GB



Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

Dangerous components:		1 0
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) substance with a Community workplace exposure limit	25-50%
CAS: 102-60-3 EINECS: 203-041-4 Reg.nr.: 01-2119552434-41	1,1',1",1"'-ethylenedinitrilotetrapropan-2-ol Eye Irrit. 2, H319	
CAS: 25322-69-4 Reg.nr.: 01-2119457556-29	Polypropylene glycol Acute Tox. 4, H302	5-15%
CAS: 38640-62-9 Reg.nr.: 01-2119565150-48	Alkylated aromatic hydrocarbons Asp. Tox. 1, H304; Aquatic Chronic 1, H410	5-15%
CAS: 7727-43-7 EINECS: 231-784-4	barium sulphate, natural substance with a Community workplace exposure limit	1-10%
CAS: 934242-87-2 EC number: 917-488-4 Reg.nr.: 01-2119485032-45	Distillates (petroleum), hydrotreated light Asp. Tox. 1, H304; Acute Tox. 4, H302	0.5-1.5%
CAS: 1174522-45-2         Hydrocarbons, C13-C16, isoalkanes, cyclics, <2% aromatics           EC number: 918-973-3         Asp. Tox. 1, H304           Reg.nr.: 01-2119458871-30		0.5-1.5%
EC number: 920-107-4 Reg.nr.: 01-2119453414-43	Kohlenwasserstoffe, C12-C15, n-Alkane, Isoalkane, Cyclene, < 2% Aromaten Asp. Tox. 1, H304	0.5-1.5%

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fire with alcohol resistant foam.

- Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** In case of fire, the following can be released:
- Carbon monoxide (CO).
- Carbon dioxide  $(CO_2)$ .
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

SHERA IWERKSTOFF

Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

(Contd. of page 2)

# **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation / exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

## · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- **Requirements to be met by storerooms and receptacles:** Keep container in a well-ventilated and dry place. Keep container tightly closed. Storage temperature: 20 up to 25°C.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Store in dry conditions.

Protect from frost.

Keep container tightly sealed.

· Storage class: No information available.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

ingrealents with li	mit values that require monitoring at the workplace:	
14808-60-7 Quartz	(SiO2)	
MAK (Germany)	Alveolar fraction	
BOELV (EU)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction	
7727-43-7 barium	sulphate, natural	
WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust	
AGW (Germany)	Long-term value: 1.25* 10** mg/m <sup>3</sup> 2(II);*alveolar**respirable; AGS, DFG	
DNELs:		
102-60-3 1,1',1",1"	-ethylenedinitrilotetrapropan-2-ol	
Dermal DNEL W	orker - Long Term - Systemic effects 4.2 mg/kg (workers)	
Inhalative DNFL W	orker - Long Term - Systemic effects 29.4 mg/m <sub>3</sub> (workers)	

SHERA IWERKSTOFF TECHNOLOGIE

Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

(Contd. of page 3) · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Hand protection The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Butyl rubber, BR Nitrile rubber, NBR · Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles Body protection: Protective work clothing. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Various colours · Odour: characteristic · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling >150 °C range · Flammability Not applicable.

- · Lower and upper explosion limit
- · Lower:
- · Upper:
- Flash point:
- Auto-ignition temperature:
- · Decomposition temperature:
- ∙pH
- · Viscosity:
- Kinematic viscosity

Not determined. Not determined. >100 °C >250 °C Not determined. Not determined. Not determined. Not determined.

(Contd. on page 5)

GB



Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

	(Contd. of pag
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	1.45 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
Form:	Fluid
· Important information on protection of health and	t
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· VOC (EC):	5,60 %
Change in condition:	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	3
Explosives	Void.
- Flammable gases	Void.
Aerosols	Void.
· Oxidising gases	Void.
· Gases under pressure	Void.
· Flammable liquids	Void.
· Flammable solids	Void.
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void.
· Pyrophoric liquids	Void.
· Pyrophoric solids	Void.
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void.
· Substances and mixtures, which emit flammable	
gases in contact with water	Void.
· Oxidising liquids	Void.
· Oxidising solids	Void.
	Void.
· Organic peroxides	vola.
<ul> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul>	Void.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No data available.
- · 10.2 Chemical stability No decomposition if used according to specifications.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- Moisture.

Heat, flames and sparks.

- $\cdot$  10.5 Incompatible materials Water, alcohols, amines, bases and acids.
- · 10.6 Hazardous decomposition products No dangerous decomposition products known.

GB



Revision: 11.12.2024

(Contd. of page 5)

Printing date 11.12.2024

Version number 8 (replaces version 7)

Trade name: SHERAPOLAN 2:1 (Component A)

LD/LC50	values rel	evant for classification:
102-60-3	1,1',1",1"'	-ethylenedinitrilotetrapropan-2-ol
Oral	LD50	>2,000 mg/kg (Rat) (OECD 401)
	LC50	2,050 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat) (OECD 402)
25322-69	4 Polypro	pylene glycol
Oral	LD50	2,000 mg/kg (Rat)
	LC50	1,000-<2,000 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (rab)
		>10,000 mg/kg (Rabbit)
38640-62	9 Alkylate	ed aromatic hydrocarbons
Oral	NOAEL	~170 mg/kg (Rat)
	LD50	>4,000 mg/kg (Rat)
Dermal	LD50	>4,000 mg/kg (Rat)
Inhalative	LC50/4 h	>5.6 mg/l (Rat)
934242-8	7-2 Distilla	ates (petroleum), hydrotreated light
Oral	LD50	2,000 mg/kg (Rat)
Dermal	LD50	3,160-5,000 mg/kg (Rabbit)
Skin corr	osion/irrit	ation Slightly irritating (OECD method 404), does not require labeling.

# **SECTION 12: Ecological information**

· 12.1 Toxicity	
· Aquatic toxicity:	
102-60-3 1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol	
EC50/48 h >100 mg/l (Daphnia (Daphnia magna))	
IC50/72 h 150.67 mg/l (Algae)	
LC50/96 h >2,000 mg/l (Fish)	
25322-69-4 Polypropylene glycol	
EC50/48 h >100 mg/l (Daphnia (Daphnia magna))	
38640-62-9 Alkylated aromatic hydrocarbons	
EC0/48 h 0.16 mg/l (Daphnia)	
EC0/72 h 0.15 mg/l (Algae)	
LC0/96 h 0.5 mg/l (Fish)	
<ul> <li>12.2 Persistence and degradability No further relevant information available.</li> <li>Other information: Elimination by adsorption to activated sludge.</li> <li>12.3 Bioaccumulative potential No further relevant information available.</li> <li>12.4 Mobility in soil No further relevant information available.</li> <li>12.5 Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	
	(Contd. on page 7)



Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

(Contd. of page 6)

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Printing date 11.12.2024

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

## · Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG</li> </ul>	UN3082 Void. ENVIRONMENTALLY HAZARDOUS SUBSTANCE.
ADR IMDG	
1	LIQUID, N.O.S. (Alkylated aromatic hydrocarbons), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
· 14.3 Transport hazard class(es)	LIQUID, N.O.S. (Alkylated aromatic hydrocarbons)
•	
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
	9
· 14.4 Packing group	
	111
· 14.5 Environmental hazards:	
	No.
	Symbol (fish and tree)
	Symbol (fish and tree)
Special marking (ADR):	
•	Symbol (fish and tree)
Special marking (IATA):     14.6 Special precautions for user	Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles.
Special marking (IATA):     14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and

(Contd. on page 8)

GB



Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

Trade name: SHERAPOLAN 2:1 (Component A)

	(Contd. of page
Stowage Category	А
14.7 Maritime transport in bulk accordininstruments	ng to IMO Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category:	3
Tunnel restriction code:	(-)
Remarks:	SV 375: These substances, when carried in single c combination packagings of a net quantity not exceedin 5 litres of liquids or a net mass not exceeding 5 kg of solids per single or combination packaging, are not subject to the other provisions of ADR, provided the packaging meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
ΙΑΤΑ	
Remarks:	A 197: These substances are not subject to othe provisions of these Regulations when carried in single o combination packagings with a net quantity per single o inner packaging not exceeding 5L for liquids and a net weight not exceeding 5kg for substances, provided th packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- · National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in (Contd. on page 9)

SHERA<sup>°</sup>

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.12.2024

Version number 8 (replaces version 7)

Revision: 11.12.2024

# Trade name: SHERAPOLAN 2:1 (Component A)

an unchanged st	ate is permissible.	(Contd. of pag
an unchanged st		
<ul> <li>Relevant phrase</li> </ul>		
H302 Harmful if s	wallowed.	
H304 May be fat	I if swallowed and enters airways.	
	ious eye irritation.	
	o aquatic life with long lasting effect	te
-		
	iing SDS: Department of product s	ecurity.
<ul> <li>Abbreviations a</li> </ul>	nd acronyms:	
ICAO: International Ci	vil Aviation Organisation	
	tructions by the "International Civil Aviation O	
		handises dangereuses par chemin de fer (Regulations Concerning
	of Dangerous Goods by Rail)	
	Goods Regulations by the "International Air	
		langereuses par route (European Agreement Concerning the Internation
Carriage of Dangerous	aritime Code for Dangerous Goods	
IATA: International Air		
	ised System of Classification and Labelling o	f Chemicals
	ventory of Existing Commercial Chemical Sub	
	t of Notified Chemical Substances	
CAS: Chemical Abstra	cts Service (division of the American Chemica	al Society)
	Compounds (USA, EU)	
	ect Level (UK REACH)	
	ffect Concentration (UK REACH)	
LC50: Lethal concentr		
LD50: Lethal dose, 50 PBT: Persistent, Bioad		
	and very Bioaccumulative	
Acute Tox. 4: Acute to		
	e damage/eye irritation – Category 2	
Asp. Tox. 1: Aspiration		
	zardous to the aquatic environment - long-tern	n aquatic hazard – Category 1
	ardous to the aquatic environment - long-tern	
	aroous to the aquatic environment - long-ten	



Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SHERAPOLAN 2:1 (Component B) · Article number: 516010, 516011, 516017 · 1.2 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. · Application of the substance / the mixture: Component B (hardener) for the production of model resin based on polyurethane 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SHERA Werkstoff-Technologie GmbH Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de + 49 (0) 54 43 - 9933 - 0 · Further information obtainable from: Department of product security. · 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49 (0) 551-19240 (Information in german or english) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008: Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eve irritation. Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the GB CLP regulation. Hazard pictograms: GHS07 GHS08 GHS09 · Signal word: Danger · Hazard-determining components of labelling: 4.4' methylene diphenyl diisocyanate oligomers tributyl phosphate Hazard statements: H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.

(Contd. on page 2)

GB

SHERA IWERKSTOFF

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

## Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 1) H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. P260 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P285 In case of inadequate ventilation wear respiratory protection. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents / container in accordance with local / regional / national / international regulations. · Additional information: Contains isocyanates. May produce an allergic reaction. · 2.3 Other hazards · Results of PBT and vPvB assessment: • **PBT:** Not applicable.

**vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

4,4' methylene diphenyl diisocyanate oligomers Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	50-75%
Alkylated aromatic hydrocarbons Asp. Tox. 1, H304; Aquatic Chronic 1, H410	25-50%
tributyl phosphate Carc. 2, H351; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	0.25-1%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Alkylated aromatic hydrocarbons Asp. Tox. 1, H304; Aquatic Chronic 1, H410 tributyl phosphate Carc. 2, H351; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

- · General information:
- Involve doctor immediately.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.



Revision: 12.12.2024

Printing date 12.12.2024

Version number 8 (replaces version 7)

Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 2)

- After swallowing: If symptoms persist consult doctor.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media · Suitable extinguishing agents: CO<sub>2</sub>, powder or water spray. Fight larger fire with alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. · 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Nitrogen oxides (NOx). Carbon monoxide (CO). Hydrogen cyanide (HCN). Isocyanate vapours. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Wear self-contained respiratory protective device. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes.
Keep people at a distance and stay on the windward side.
6.2 Environmental precautions Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers / surface or ground water.
6.3 Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

 • 7.1 Precautions for safe handling Avoid contact with skin, eye and clothing.
 Do not breathe vapours.
 Ensure good ventilation / exhaustion at the workplace.
 Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

GB ·



Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities · Storage Requirements to be met by storerooms and receptacles: Keep container in a well-ventilated and dry place. Keep container tightly closed. Storage temperature: 20 up to 25°C. · Information about storage in one common storage facility:
- Store away from water.
- Store away from foodstuffs.
- Further information about storage conditions: Protect from humidity and water. Protect from frost.
- Keep container tightly sealed.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control pa	arame	ters	
· Ingredients w	ith lir	nit values that require monitoring a	at the workplace:
25686-28-6 4,	4' me	hylene diphenyl diisocyanate oligo	omers
		Short-term value: 0.05 mg/m <sup>3</sup> Long-term value: 0.05 mg/m <sup>3</sup>	
126-73-8 tribu	utyl ph	osphate	
		Short-term value: 5 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup>	
AGW (Germany)		Long-term value: 11 mg/m <sup>3</sup> , 1 ppm 2 (II);DFG, Y, H, 11	
· DNELs:			
25686-28-6 4,	4' mei	hylene diphenyl diisocyanate oligo	omers
Dermal DN	EL W	orker - Long Term - Systemic effects	4.3 mg/kg (workers)
Inhalative DNEL Worker - Long Term - Systemic effects 30 mg/m <sub>3</sub> (workers)		30 mg/m₃ (workers)	
126-73-8 tribu	utyl ph	osphate	
		orker - Long Term - Systemic effects	
Inhalative DNEL Worker - Long Term - Systemic effects 3.13 mg/m <sub>3</sub> (workers)		3.13 mg/m₃ (workers)	
<ul> <li>Additional inf</li> </ul>	forma	tion: The lists valid during the making	g were used as basis.
Individual pro General prote The usual pred Keep away fro Immediately re Wash hands b Avoid contact Respiratory p Filter P2. In case of brie	engine otective caution om foo emove before with th protec	eering controls No further data; see on measures, such as personal pro- and hygienic measures: mary measures are to be adhered to dstuffs, beverages and feed. all soiled and contaminated clothing breaks and at the end of work. he eyes and skin. tion:	vtective equipment when handling chemicals.
use self-contained respiratory protective device.			

SHERA IWERKSTOFF

Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 4)

## · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber, NBR

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing.

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Orange
Odour:	characteristic
Melting point/freezing point:	41 °C
Boiling point or initial boiling point and boiling	
range	>200 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>150 °C
Auto-ignition temperature:	400 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	220 mPas
Solubility	
water:	Reacts with water under formation of CO <sub>2</sub> , danger of bursting.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 25 °C:	0 hPa
Density and/or relative density	o in a
Density at 20 °C:	1.23 g/cm <sup>3</sup>
Relative density	Not determined.

GB



Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

Trade name: SHERAPOLAN 2:1 (Component B)

	(Contd. of page
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of healt	th and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	1.0 %
VOC (EC):	0,85 %
Solids content:	0.0 %
Change in condition:	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	asses
Explosives	Void.
Flammable gases	Void.
Aerosols	Void.
Oxidising gases	Void.
Gases under pressure	Void.
Flammable liquids	Void.
Flammable solids	Void.
Self-reactive substances and mixtures	Void.
Pyrophoric liquids	Void.
Pyrophoric solids	Void.
Self-heating substances and mixtures	Void.
Substances and mixtures, which emit flamma	able
gases in contact with water	Void.
Oxidising liquids	Void.
Oxidising solids	Void.
Organic peroxides	Void.
	Void.
Corrosive to metals	vola.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No data available.
- · 10.2 Chemical stability No data available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Exothermic reaction with amines and alcohols; with water CO<sub>2</sub>, development, in closed containers pressure built-up; danger of bursting.

- **10.4 Conditions to avoid** Heat, flames and sparks. Moisture.
- 10.5 Incompatible materials
- Water, alcohols, amines, bases and acids. Oxidizing agents.
- Acids.

## · 10.6 Hazardous decomposition products

No dangerous productos of decomposition if the product is stored and used according to regulations.

(Contd. on page 7)

GB



Revision: 12.12.2024

Printing date 12.12.2024

Version number 8 (replaces version 7)

Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 6)

		evant for classification:
25686-28-	6 4,4' met	hylene diphenyl diisocyanate oligomers
Oral	LD50	>5,000 mg/kg (Rat) (OECD 425)
	LC50	>5,000 mg/kg (Rat)
Dermal	LD50	>9,400 mg/kg (Rat) (OECD 402)
Inhalative	LC50/4 h	0.368 mg/l (Rat) (OECD 403)
	LC50/1 h	>2.24 mg/l (Rat)
38640-62-	9 Alkylate	d aromatic hydrocarbons
Oral	NOAEL	~170 mg/kg (Rat)
	LD50	>4,000 mg/kg (Rat)
Dermal	LD50	>4,000 mg/kg (Rat)
Inhalative	LC50/4 h	>5.6 mg/l (Rat)
126-73-8 t	ributyl ph	osphate
Oral	LD50	1,552 mg/kg (Rat)
Serious e Respirato May cause May cause Carcinoge STOT-sin STOT-rep	ye damag ry or skin e allergy or e an allergi enicity Sus gle expos eated exp	ation Causes skin irritation. e/irritation Causes serious eye irritation. sensitisation r asthma symptoms or breathing difficulties if inhaled. c skin reaction. spected of causing cancer. ure May cause respiratory irritation. osure May cause damage to organs through prolonged or repeated exposure.

# **SECTION 12: Ecological information**

· 12.1 Toxici	ly .				
· Aquatic toxicity:					
25686-28-6	4,4' methylene diphenyl diisocyanate oligomers				
LC50/96 h	>1,000 mg/l (Fish)				
EC50/24 h	>1,000 mg/l (Daphnia (Daphnia magna))				
EC50/72 h	>100 mg/l (Bacterial)				
	>1,000 mg/l (Daphnia)				
38640-62-9	Alkylated aromatic hydrocarbons				
EC0/48 h	0.16 mg/l (Daphnia)				
EC0/72 h	0.15 mg/l (Algae)				
LC0/96 h	0.5 mg/l (Fish)				
126-73-8 tr	butyl phosphate				
NOEC, 21d	1.3 mg/l (Daphnia (Daphnia magna))				
· 12.2 Persis	tence and degradability No further relevant information available.				
	cumulative potential No further relevant information available.				
· 12.4 Mobili	ty in soil No further relevant information available.				
		(Contd. on page 8)			



Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

## Trade name: SHERAPOLAN 2:1 (Component B)

(Contd. of page 7)

#### · 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

· Recommendation: Dispose unclean packages in compliance with the local, official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
·IMDG	LIQUID, N.O.S. (Alkylated aromatic hydrocarbons) ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Alkylated aromatic hydrocarbons MARINF POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Alkylated aromatic hydrocarbons)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	111



Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

Trade name: SHERAPOLAN 2:1 (Component B)

	(Contd. of page
14.5 Environmental hazards: Marine pollutant:	Yes. Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk according to instruments	IMO Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category:	3
Tunnel restriction code:	(-)
Remarks:	SV 375: These substances, when carried in single
	combination packagings of a net quantity not exceedi 5 litres of liquids or a net mass not exceeding 5 kg solids per single or combination packaging, are n subject to the other provisions of ADR, provided the packagin meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IATA Bemerke	A 107. These substances are not subject to st
Remarks:	A 197: These substances are not subject to oth provisions of these Regulations when carried in single combination packagings with a net quantity per single inner packaging not exceeding 5L for liquids and a net weight not exceeding 5kg for substances, provided t packagings meet the general requirements of 5.0.2.4.1 5.0.2.6.1.1 and 5.0.2.8.
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (ALKYLATED AROMAT HYDROCARBONS), 9, III

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- $\cdot$  Seveso category E1 Hazardous to the Aquatic Environment

(Contd. on page 10)

GB

SHERA IWERKSTOFF TECHNOLOGIE

Printing date 12.12.2024

Version number 8 (replaces version 7)

Revision: 12.12.2024

(Contd. of page 9)

Trade name: SHERAPOLAN 2:1 (Component B)

- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

#### · Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

## · Department issuing SDS: Department of product security.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 \* \* Data compared to the previous version altered.