

Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SHERASEP-G

· Article number: 701045

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

· Application of the substance / the mixture: Coating

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de

+ 49 (0) 54 43 . 99 33 . 0

· Further information obtainable from: Department of product security.

· 1.4 Emergency telephone number:

Giftinformationszentrum-Nord: +49 (0) 551-19240

(Information in german or english)

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms:





GHS02

GHS07

· Signal word: Warning

· Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents / container in accordance with local / regional / national / international

regulations.

(Contd. on page 2)



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	propan-2-ol	10-25%
EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 584-08-7 EINECS: 209-529-3	potassium carbonate	<2.5%
	Acute Tox. 4, H302; Eye Irrit. 2, H319	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions

Dilute with plenty of water.

Do not allow to enter sewers / surface or ground water.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with	limit values that rec	quire monitoring	g at the workplace:
--------------------	-----------------------	------------------	---------------------

#### 67-63-0 propan-2-ol

WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

AGW (Germany) Long-term value: 500 mg/m³, 200 ppm

2(II);DFG, Y

· Ingredients with biological limit values:

#### 67-63-0 propan-2-ol

BGW (Germany) 25 mg/l

Specimen: Whole blood

Sampling time: After exposure ends or after the shift ends

Parameters: Acetone

25 mg/l

Specimen: Urine

Sampling time: After exposure ends or after the shift ends

Parameters: Acetone

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- $\cdot$  Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

(Contd. on page 4)



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

· Hand protection





Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Undetermined.

· Eye/face protection



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Dark yellow · Odour: characteristic Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

· Lower and upper explosion limit

· Lower: 2 Vol % · Upper: 12 Vol % · Flash point: 35 °C

· Auto-ignition temperature: Product is not selfigniting.

Not determined. · Decomposition temperature:

· pH at 20 °C 11.4

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

· water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 43 hPa

· Density and/or relative density

· Density at 20 °C: 0.957 g/cm3

· 9.2 Other information

· Appearance:

· Form: Fluid

(Contd. on page 5)



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 4)

· Important information on protection of health and environment, and on safety.

425 °C · Ignition temperature:

Product is not explosive. However, formation of · Explosive properties:

explosive air / vapour mixtures are possible.

· Solvent content:

· Organic solvents: 19.5 % · VOC (EC): 19.50 %

· Information with regard to physical hazard classes

· Explosives Void. · Flammable gases Void. · Aerosols Void. · Oxidising gases Void. · Gases under pressure Void.

· Flammable liquids

Flammable liquid and vapour.

· Flammable solids Void. · Self-reactive substances and mixtures Void. · Pyrophoric liquids Void. · Pyrophoric solids Void. · Self-heating substances and mixtures Void.

· Substances and mixtures, which emit flammable

gases in contact with water Void. · Oxidising liquids Void. · Oxidising solids Void. · Organic peroxides Void. · Corrosive to metals Void. · Desensitised explosives Void.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No data available.
- · 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No hazardous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: No data available.
- · LD/LC50 values relevant for classification:

#### 67-63-0 propan-2-ol

Oral LD50 5,045 mg/kg (Rat) LD50 Dermal 12,800 mg/kg (Rabbit) Inhalative LC50/4 h 30 mg/l (Rat)

(Contd. on page 6)



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 5)

#### 584-08-7 potassium carbonate

Oral LD50 1,870 mg/kg (Rat)

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 6)

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL))
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL))
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No.
· 14.6 Special precautions for user	Warning: Flammable liquids.
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	30 F-E,S-E
Stowage Category	A —, <u>s —</u>
<ul> <li>14.7 Maritime transport in bulk according to IM instruments</li> </ul>	O Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ):	5L Codo: 51
· Excepted quantities (EQ):	Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml
· Transport category:	3
· Tunnel restriction code:	D/E
· Remarks:	LQ: Maximum 30 kg per package (carton), apply th %hombus with black corners+label onto the carton.
· IMDG	
<ul> <li>Limited quantities (LQ):</li> <li>Excepted quantities (EQ):</li> </ul>	5L Code: E1
Exospica quantities (Ew).	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III



Printing date 15.07.2021 Version number 3 Revision: 15.07.2021

Trade name: SHERASEP-G

(Contd. of page 7)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Department of product security.
- · Contact: Department of product security.
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids . Category 2 Flam. Liq. 3: Flammable liquids . Category 3

Acute Tox. 4: Acute toxicity . Category 4

Skin Irrit. 2: Skin corrosion/irritation . Category 2

Eye Irrit. 2: Serious eye damage/eye irritation . Category 2

STOT SE 3: Specific target organ toxicity (single exposure) Category 3

· \* Data compared to the previous version altered.