

# Safety data sheet according to UK REACH

Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SHERASON 925
- **Article number:**  
702050  
702051
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Application of the substance / the mixture:** Ultrasonic cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SHERA Werkstoff-Technologie GmbH  
Espohlstraße 53  
D-49448 Lemförde  
GERMANY  
sdb@shera.de  
+ 49 (0) 54 43 - 9933 - 0
- **Further information obtainable from:** Department of product security.
- **1.4 Emergency telephone number:**  
Giftinformationszentrum-Nord +49 (0) 551-19240  
(Information in german or english)

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008:**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard-determining components of labelling:**  
2-aminoethanol  
neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-  
Sodium C14-C17 Alkyl sec Sulfonate  
tetrasodium ethylenediaminetetraacetate
- **Hazard statements:**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.
- **Precautionary statements:**  
P260 Do not breathe mist / vapours / spray.  
P280 Wear protective gloves / eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/attention if you feel unwell.

(Contd. on page 2)

GB

## Safety data sheet according to UK REACH

Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28	2-aminoethanol Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥1-<5%
CAS: 160875-66-1	neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy- Eye Dam. 1, H318; Acute Tox. 4, H302	≥1-<3%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20	Sodium C14-C17 Alkyl sec Sulfonate Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2 Reg.nr.: 01-2119486762-27	tetrasodium ethylenediaminetetraacetate STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332	≥1-<3%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2 Reg.nr.: 01-2119488876-14	ammonia Skin Corr. 1B, H314; Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥0.1-<0.25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Wash with water and soap.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

#### · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>).  
Carbon monoxide (CO).

(Contd. on page 3)

GB

## Safety data sheet according to UK REACH



Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions**  
Dilute with plenty of water.  
Do not allow to enter sewers / surface or ground water.
- **6.3 Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation / exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** No information available.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

#### 141-43-5 2-aminoethanol

WEL (Great Britain)	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm Sk
AGW (Germany)	Long-term value: 0.5 mg/m <sup>3</sup> , 0.2 ppm 1(l);DFG, EU, H, Y, Sh, 11
IOELV (EU)	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm Skin

#### 1336-21-6 ammonia

AGW (Germany)	Long-term value: 14 mg/m <sup>3</sup> , 20 ppm 2(l);DFG, EU, Y
---------------	---

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 4)

GB

## Safety data sheet according to UK REACH

Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 3)

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Hand protection**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Yellowish

· **Odour:**

Weak, characteristic

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

11

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not determined.

· **Density and/or relative density**

· **Density at 20 °C:**

1.01 g/cm³

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

(Contd. on page 5)

## Safety data sheet according to UK REACH



Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

Trade name: SHERASON 925

(Contd. of page 4)

- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC (EC):** 2.00 %
- **Change in condition:**
- **Evaporation rate** Not determined.
- **Information with regard to physical hazard classes**
- **Explosives** Void.
- **Flammable gases** Void.
- **Aerosols** Void.
- **Oxidising gases** Void.
- **Gases under pressure** Void.
- **Flammable liquids** Void.
- **Flammable solids** Void.
- **Self-reactive substances and mixtures** Void.
- **Pyrophoric liquids** Void.
- **Pyrophoric solids** Void.
- **Self-heating substances and mixtures** Void.
- **Substances and mixtures, which emit flammable gases in contact with water** Void.
- **Oxidising liquids** Void.
- **Oxidising solids** Void.
- **Organic peroxides** Void.
- **Corrosive to metals** Void.
- **Desensitised explosives** Void.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available.
- **10.2 Chemical stability** No decomposition if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** Intensive exothermic reaction with acids.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

##### 141-43-5 2-aminoethanol

Oral	LD50	2,050 mg/kg (Rat)
Dermal	LD50	1,000 mg/kg (Rabbit)

##### 160875-66-1 neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

Oral	LD50	500-2,000 mg/kg (Rat)
------	------	-----------------------

(Contd. on page 6)

GB

## Safety data sheet according to UK REACH



Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 5)

**64-02-8 tetrasodium ethylenediaminetetraacetate**

Oral LD50 1,000-2,000 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****160875-66-1 neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-**

EC50/48 h 10-100 mg/l (Daphnia (Daphnia magna))

EC50/72 h 10-100 mg/l (Algae)

**64-02-8 tetrasodium ethylenediaminetetraacetate**

LC50/96 h &gt;500 mg/l (Leuciscus idus (golden orfe))

EC50/48 h 50 mg/l (Activated sludge)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste disposal key:**

The waste disposal code as prescribed in the European Waste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GB

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 6)

### SECTION 14: Transport information

· <b>14.1 UN number or ID number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void.
· <b>14.2 UN proper shipping name</b> · <b>ADR, IMDG, IATA</b>	Void.
· <b>14.3 Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void.
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void.
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No.
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Void.

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

1336-21-6 ammonia

10%

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **National regulations:**

- **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

- **Relevant phrases**

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 8)

## Safety data sheet according to UK REACH



Printing date 07.03.2025

Version number 5 (replaces version 4)

Revision: 07.03.2025

**Trade name: SHERASON 925**

(Contd. of page 7)

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Department of product security.

· **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**

GB