

Revision: 07.03.2025

Printing date 07.03.2025

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SHERASONIC
- · Article number:

702100 702101

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: Ultrasonic cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH

Espohlstraße 53 D-49448 Lemförde GERMANY

sdb@shera.de + 49 (0) 54 43 - 9933 - 0

- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

Giftinformationszentrum-Nord +49 (0) 551-19240

(Information in german or english)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms:



GHS05

· Signal word: Danger

· Hazard-determining components of labelling:

neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

2-aminoethanol

Sodium C14-C17 Alkyl sec Sulfonate

· Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements:

P260 Do not breathe mist / vapours / spray.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 07.03.2025 Version number 5 (replaces version 4) Revision: 07.03.2025

Trade name: SHERASONIC

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 160875-66-1	neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha(2-propylheptyl).omegahydroxy- Eye Dam. 1, H318; Acute Tox. 4, H302	≥3-≤10%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28	2-aminoethanol Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: $C \ge 5$ %	≥1-<5%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20	Sodium C14-C17 Alkyl sec Sulfonate Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1-<2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Wash with water and soap.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Call a doctor immediately.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx).

Carbon monoxide (CO).

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot \ \textbf{6.2 Environmental precautions}$

Dilute with plenty of water.

Do not allow to enter sewers / surface or ground water.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

(Contd. on page 3)



Printing date 07.03.2025

Version number 5 (replaces version 4)

Trade name: SHERASONIC

(Contd. of page 2)

Revision: 07.03.2025

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation / exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

141-43-5 2-aminoethanol

WEL (Great Britain) Short-term value: 7.6 mg/m³, 3 ppm

Long-term value: 2.5 mg/m³, 1 ppm

Sk

AGW (Germany) Long-term value: 0.5 mg/m³, 0.2 ppm

1(I);DFG, EU, H, Y, Sh, 11

IOELV (EU) Short-term value: 7.6 mg/m³, 3 ppm

Long-term value: 2.5 mg/m³, 1 ppm

Skin

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Printing date 07.03.2025 Version number 5 (replaces version 4) Revision: 07.03.2025

Trade name: SHERASONIC

· Eye/face protection

(Contd. of page 3)



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Yellowish

Odour: Weak, characteristic
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined. • Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

· pH at 20 °C 11

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Fully miscible.
 Not determined.
 Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· **VOC (EC):** 0.00 %

· Change in condition:

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

 Explosives Void. · Flammable gases Void. · Aerosols Void. Oxidising gases Void. · Gases under pressure Void. · Flammable liquids Void. Flammable solids Void. · Self-reactive substances and mixtures Void.

(Contd. on page 5)



Printing date 07.03.2025 Version number 5 (replaces version 4) Revision: 07.03.2025

Trade name: SHERASONIC

(Contd. of page 4)

· Pyrophoric liquids	Void.
Pyrophoric solids	Void.
Self-heating substances and mixtures	Void.
· Substances and mixtures, which emit flammable	
gases in contact with water	Void.
· Oxidising liquids	Void.
· Oxidising solids	Void.
Organic peroxides	Void.
· Corrosive to metals	Void.
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No data available.
- 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials Intensive exothermic reaction with acids.
- · 10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

160875-66-1 neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

Oral LD50 500-2,000 mg/kg (Rat)

141-43-5 2-aminoethanol

Oral LD50 2,050 mg/kg (Rat)
Dermal LD50 1,000 mg/kg (Rabbit)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

GB



Printing date 07.03.2025

Version number 5 (replaces version 4)

Trade name: SHERASONIC

(Contd. of page 5)

Revision: 07.03.2025

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

160875-66-1 neutral surfactant; Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

EC50/48 h | 10-100 mg/l (Daphnia (Daphnia magna))

EC50/72 h 10-100 mg/l (Algae)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void.	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void.	
14.3 Transport hazard class(es)		
14.5 Transport nazaru ciass(es)		
ADR, ADN, IMDG, IATA		
Class	Void.	
14.4 Packing group		
ADR, IMDG, IATA	Void.	
14.5 Environmental hazards:		
Marine pollutant:	No.	
14.6 Special precautions for user	Not applicable.	

(Contd. on page 7)



Printing date 07.03.2025

Version number 5 (replaces version 4)

Trade name: SHERASONIC

(Contd. of page 6)

Revision: 07.03.2025

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": Void.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Department of product security.

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)



Revision: 07.03.2025

(Contd. of page 7)

Printing date 07.03.2025

Version number 5 (replaces version 4)

Trade name: SHERASONIC

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.