

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SHERAclear-p
- **Article number:** SD4010010
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Application of the substance / the mixture:** Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SHERA Werkstoff-Technologie GmbH & Co. KG  
Espohlstraße 53  
D-49448 Lemförde  
GERMANY  
sdb@shera.de  
+ 49 (0) 54 43 – 99 33 – 0
- **Further information obtainable from:** Department of product security.
- **1.4 Emergency telephone number:**  
Gif tinformationszentrum-Nord +49 (0) 551-19240  
(Information in german or english)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**  
Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008:**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms:**



GHS02 GHS07

- **Signal word:** Danger
- **Hazard-determining components of labelling:**  
propan-2-ol
- **Hazard statements:**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Precautionary statements:**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

**Trade name: SHERAclear-p**

(Contd. of page 1)

- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Solvent mixture with additives.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	80-100%
--	--	---------

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
Skin degreasing possible after prolonged contact, use skin protection cream after prolonged skin contact.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Call for a doctor immediately.  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting. Risk of aspiration!
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Danger of bursting.  
Can form explosive gas-air mixtures.  
In case of fire, the following can be released:  
Carbon monoxide (CO).  
Carbon dioxide (CO<sub>2</sub>).

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31



Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

**Trade name: SHERAclear-p**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources.  
Ensure adequate ventilation.
- **6.2 Environmental precautions**  
Dilute with plenty of water.  
Do not allow to enter sewers / surface or ground water.
- **6.3 Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good interior ventilation, especially at floor level (Fumes are heavier than air).  
Do not breathe spray.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** No information available.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**67-63-0 propan-2-ol**

WEL (Great Britain)	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
AGW (Germany)	Long-term value: 500 mg/m <sup>3</sup> , 200 ppm 2(II);DFG, Y

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

**Trade name: SHERAclear-p**

(Contd. of page 3)

· **Ingredients with biological limit values:**

**67-63-0 propan-2-ol**

BGW (Germany)	25 mg/l Specimen: Whole blood Sampling time: After exposure ends or after the shift ends Parameters: Acetone
	25 mg/l Specimen: Urine Sampling time: After exposure ends or after the shift ends Parameters: Acetone

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Colour:</b>	Orange
· <b>Odour:</b>	Alcohol-like
· <b>Melting point/freezing point:</b>	-89.5 °C
· <b>Boiling point or initial boiling point and boiling range</b>	82 °C

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31



Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

Trade name: SHERAclear-p

(Contd. of page 4)

· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	2 Vol %
· <b>Upper:</b>	12 Vol %
· <b>Flash point:</b>	13 °C
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not applicable.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	43 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.785 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

#### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	425 °C
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air / vapour mixtures are possible.
· <b>Solvent content:</b>	
· <b>VOC (EC):</b>	100.00 %
· <b>Change in condition:</b>	
· <b>Evaporation rate</b>	Not determined.

#### · Information with regard to physical hazard classes

· <b>Explosives</b>	Void.
· <b>Flammable gases</b>	Void.
· <b>Aerosols</b>	Void.
· <b>Oxidising gases</b>	Void.
· <b>Gases under pressure</b>	Void.
· <b>Flammable liquids</b>	
Highly flammable liquid and vapour.	
· <b>Flammable solids</b>	Void.
· <b>Self-reactive substances and mixtures</b>	Void.
· <b>Pyrophoric liquids</b>	Void.
· <b>Pyrophoric solids</b>	Void.
· <b>Self-heating substances and mixtures</b>	Void.
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void.
· <b>Oxidising liquids</b>	Void.
· <b>Oxidising solids</b>	Void.
· <b>Organic peroxides</b>	Void.
· <b>Corrosive to metals</b>	Void.
· <b>Desensitised explosives</b>	Void.

GB

(Contd. on page 6)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

Trade name: SHERAclear-p

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available.
- **10.2 Chemical stability** No decomposition if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity:** No data available.

- **LD/LC50 values relevant for classification:**

#### 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

Trade name: SHERAclear-p

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Waste disposal key:**

The waste disposal code as prescribed in the European Waste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

#### SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, IMDG, IATA**

UN1219

- **14.2 UN proper shipping name**

- **ADR**

1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution

- **IMDG, IATA**

ISOPROPANOL (ISOPROPYL ALCOHOL) mixture

- **14.3 Transport hazard class(es)**

- **ADR, IMDG, IATA**



- **Class**

3 Flammable liquids.

- **Label**

3

- **14.4 Packing group**

- **ADR, IMDG, IATA**

II

- **14.5 Environmental hazards:**

- **Marine pollutant:**

No.

- **14.6 Special precautions for user**

Warning: Flammable liquids.

- **Hazard identification number (Kemler code):**

33

- **EMS Number:**

F-E,S-D

- **Stowage Category**

B

- **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Limited quantities (LQ):**

1L

- **Excepted quantities (EQ):**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

- **Transport category:**

2

- **Tunnel restriction code:**

D/E

(Contd. on page 8)

## Safety data sheet according to 1907/2006/EC, Article 31



Printing date 09.04.2021

Version number 3

Revision: 09.04.2021

Trade name: SHERAclear-p

(Contd. of page 7)

· <b>IMDG</b>	
· <b>Limited quantities (LQ):</b>	1L
· <b>Excepted quantities (EQ):</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION, 3, II

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c** FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Department issuing SDS:** Department of product security.
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**